

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2019, licensed under the CC BY 4.0 Licence*". This licence does not apply to the Queensland Government logo or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>



**Queensland  
Government**

**GEOTECHNICAL  
BOREHOLE LOG**

FOR GEOTECHNICAL TERMS AND  
SYMBOLS REFER FORM F:GEOT 017/8-2014

BOREHOLE No **BH04**

Sheet 1 of 1

REFERENCE No **H12193**

PROJECT	Veloway 1 Stage E: Birdwood to Gaza Road				
LOCATION	Bridge over Marshall Rd and Bapaume Rd.		COORDINATES 505462.0 E; 6955382.5 N		
PROJECT No	FG6253	SURFACE RL	19.10m	PLUNGE	90°
		DATE STARTED	10/06/2015	GRID DATUM	MGA94 Zone 56
JOB No	201/C001/4	HEIGHT DATUM	AHD	BEARING	°
		DATE COMPLETED	10/06/2015	DRILLER	Northcoast

DEPTH (m)	R.L. (m)	AUGER CASING WASH BORING CORE DRILLING	ROD (%) CORE REC %	SAMPLE	MATERIAL DESCRIPTION	LITHOLOGY	USCS WEATHERING	INTACT STRENGTH	DEFECT SPACING	ADDITIONAL DATA AND TEST RESULTS	SAMPLES TESTS	
												EH
18.80					Silty SAND (Topsoil) Brown, dry, fine to medium grained. Trace gravel.	(SM)						
1				A	Sandy CLAY (Residual) Pale grey to orange brown, moist, stiff. Medium plasticity. Sand is fine to medium grained.	(CI)					3, 3, 6 N=9 SPT	
2				B	Becoming hard. Possible XW rock.					2.00m: No sample recovery	30/40 hb SPT	
16.50				(37)	METAGREYWACKE (Dcf) MW: Orange grey, fine to medium grained, weakly foliated, mainly medium strength.	MW		MH	C	2.90m: J, 40°, Pl/Ro, FL, Cly Ct and Sinf 3.06m: J, 25°, Pl/Ro, FL, Cly Ct, 3mm	Is(50)=1.00 MPa Is(50)=0.68 MPa	D (2.63m) A (2.78m)
100			(45)		Defects: -FP: 50°-60° (5-6/m) Pl/Ro, FL, Cly Ct, FeSt -J's: 30°-45° (3/m) Pl/Ro, FL, Cly Ct, FeSt		M	C	3.60m: J, 45°, Pl/Ro, FL, Cly Ct, 10mm 3.75m: J, 30°, Pl/Ro, FL, Cly Ct, 10mm	Is(50)=0.78 MPa Is(50)=0.53 MPa	D (3.52m) A (3.95m)	
14.45				100	ARGILLITE (Dcf) SW: Dark grey, fine grained, foliated, high to very high strength.	HW		LM	VC	4.50m-4.55m: Qz Vn, 45°, FeSt 4.73m: FP, 75°, Un/Ro, FeSt, Cly Ct 4.85m-4.90m: BZ DI		
100			(80)		Defects: -FP: 60°-70° (5-6/m) Pl/Ro, TI, FeSt	SW	H-VH	M				
12.95				100	Borehole completed at 6.15m					6.10m-6.15m: J's *2, 30°, Pl/Sm, TI, FeSt	Is(50)=3.40 MPa Is(50)=0.49 MPa	D (5.97m) A (6.05m)

REMARKS: Dcf - Neranleigh Fernvale Beds. Soil samples taken from 0.0-0.5m for environmental testing.	LOGGED BY	REVIEWED BY
	TJG	SF

**CORE PHOTO LOG**

DEPARTMENT OF TRANSPORT & MAIN ROADS  
 Geotechnical Branch  
 35 Butterfield Street, HERSTON Qld 4006  
 Phone 07 3066 3336



Department of  
 Transport and Main Roads

Project Name	<b>Velway (V1), Section E: Birdwood to Gaza Road</b>		
Project No	FG6253	Date	10/06/15
Borehole No	BH04	TMR H No	12193
Location	Bridge over Marshall Rd and Bapaume Rd	Start Depth (m)	3.6
Detail		Finish Depth (m)	6.15
Chainage		Submitted By	TJG
Remarks			

