

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by South Bank Corporation under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute as follows: "*(c) South Bank Corporation 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for South Bank Corporation use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.


BOREHOLE RECORD

SHEET 1

HOLE BH114

OF 1

PROJECT	Southbank Parklands Redevelopment		LOGGED BY	PBF
CONTRACTOR	Daly Bros	ANGLE	Vertical	
DRILL MODEL	DB1000	BEARING	GROUND LEVEL RL 4.6m	
MOUNTING	Tandem Drive Truck	DIAMETER	EASTING	1189.51
			NORTHING	1037.63



NOTES	JOB 11257
-------	---------------------

PROJECT	Southbank Parklands Redevelopment		LOGGED BY	PBF
			DATE/S	26/3/99

CONTRACTOR	Daly Bros	ANGLE	Vertical	GROUND LEVEL	RL 4.6m
DRILL MODEL	DB1000	BEARING		NORTHING	1037.63
MOUNTING	Tandem Drive Truck	DIAMETER	NMLC	EASTING	1189.51

DRILLING		STRATA		LEGEND	MATERIAL DESCRIPTION	WEATHERING	ESTIMATED ROCK STRENGTH	FREQUENCY (per mm)	DISCONTINUITIES			
RUN REC. (%)	WATER	R.L. AHD	DEPTH m						TYPE	ANGLE	THICKNESS (mm)	GENERAL DESCRIPTION
SAMPLE TEST					ROCK TYPE Colour, Grain Size, Structure, Minor Components							Roughness Class, Coating, Infill
			1									
			2									
			3									
			4									
			5									
			6		Start Coring at 5.6m	DW			Fo	70	-	Mostly closed, continuous
Is (50) =0.13			6.2		PHYLLITE: Light grey to orange brown, highly fractured				Cl	-	100	High plasticity
Is (50) =0.14			6.8						Fo	70	5	Smooth, clay coated
			7			SW			Cr	-	100	Crushed phyllite
			7.3						Jo	90	<2	Smooth, flat
			7.7		PHYLLITE: Grey to red brown, becoming less fractured				Fo	60	5	Smooth, clay coated
Is (50) =0.84			8						Cr	-	20	Crushed phyllite, some clay
Is (50) =0.31			8.2									
Is (50) =0.19			8.5									
Is (50) =0.89			9						Jo	10	0	Smooth, undulating, iron stained
Is (50) =1.48			9.4									
			10		End BH114 at 9.9m							

NOTES	TYPE OF DISCONTINUITY	JOB
	Jo JOINT Be BEDDING PLANE PARTING Fo FOLIATION PARTING Cl CLAY SEAM We WEATHERED SEAM Cr CRUSHED SEAM Sh SHEARED ZONE	11257