

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2023, licensed under the CC BY 4.0 Licence, prepared by ENGEO*". This licence does not apply to logos or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of ENGEO.



# GEOTECHNICAL BOREHOLE LOG BH03

In Accordance with AS1726:2017

Geotechnical Investigation  
B-N Rd and Maudsland Rd  
Mount Nathan, QLD  
17820.000.001

Client : Roadtek  
Date : 30/10/2020  
Hole Depth : 1.15 m  
Core Diameter : 52 mm  
Drilling Method : Solid Flight Auger

Drilling Contractor : Redlands Ltd  
Logged/Reviewed By : AK/SF  
Easting/Northing (MGA94) : 526966.56 / 6906844.21  
Page :  
Datum/Surface RL : GHD/43.87 m

Depth (m BGL)	Drilling Method	Water Level	Elevation (RL)	TCR (%) / RQD (%)	Stratigraphic Unit	Group Symbol (USCS)	MATERIAL DESCRIPTION	Log Symbol	Weathering	Estimated Intact Strength	Average Defect Spacing (ISO14689:2017)	Additional Comments	Test Results	
														Very Low
1	Auger		43		Residual	ML	Sandy SILT trace gravel (Residual) Pale brown, dry, very stiff.							
	SPT Auger				DCf		METAGREYWACKE (DCf) HW: Grey-brown, fine to medium grained, medium strength.		HW				1.0 m SPT not recovered.	SPT A: 30 for 50 mm HB

End of Hole Depth : 1.15 m

**Notes:**

Borehole met practical refusal

DCf = Neranleigh - Fernvale Beds

GEOTECHNICAL BOREHOLE LOG - AU BH LOGS.GPJ NZ DATA TEMPLATE 2.GDT 2/11/20