

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Housing and Public Works) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

PROJECT	Lang Park Stadium Redevelopment		LOGGED BY	VL
CONTRACTOR	BL&T PLANT HIRE	EXCAVATION TYPE	DATE/S	25.10.00
EQUIPMENT TYPE	Backhoe	LENGTH	GROUND LEVEL	approx. RL 8.8m
MODEL	CAT 428B 4x4	WIDTH	LOCATION	

EXCAVATION	STRATA				MATERIAL DESCRIPTION	CONDITION										OBSERVATION							
	SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL		LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	WATER / MOISTURE	CONSISTENCY										SOIL ORIGIN, STRUCTURE, ETC.				
		AHD	m						COHESIVE					NON COHESIVE									
					VS	S			L	ST	VST	H	VL	L	MD	D	VD						
						Gravelly SILT/Silty Gravel: Dark brown, fine to medium gravel becoming lighter in colour Silty gravelly CLAY/clayey GRAVEL: fine to coarse gravel, bitumen, broken brick pieces and old clay pipes occasional plastic bags and metal pipes becoming more clayey																FILL	
		1.60				CLAY: Mottled orange yellow, high plasticity, some quartz gravel																	RESIDUAL
		2.40				with medium to coarse gravel and quartz gravel, grading to XW Phyllite XW PHYLLITE END TP8 @ 2.5m on refusal																	XW ROCK

NOTES	1) No groundwater encountered during excavation.	JOB	12215
-------	--------------------------------------------------	-----	-------

BOREHOLE/TEST PIT LANGSEC.GPJ ARUP_AUIS.GDT 10/01/01