

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

CLIENT	TMR	LOGGED BY	CAW, DG
PROJECT	Gateway North Traffic Management System	CHECKED BY	RAS
		DRILLED DATE	13-Dec-11
CONTRACTOR	Drillsure	ANGLE	Vertical
DRILL MODEL	Hydropower Scout	BEARING	-
DRILLER	Matt & Nick	HOLE DIAMETER	76mm ()
		GROUND LEVEL	RL 4.00m
		LOCATION	502599 E 6979682 N
		ELEVATION DATUM	Australian Height Datum
		COORDINATE SYSTEM	Map Grid of Australia MGA 94

DRILLING	STRATA		GROUP SYMBOL	LEGEND	MATERIAL DESCRIPTION	WATER/MOISTURE	CONSISTENCY						OBSERVATION	
	R.L.	DEPTH					COHESIVE			NON COHESIVE				
SAMPLE, TEST, BIT, SUPPORT, ETC.	mAHD	m			SOIL TYPE Plasticity / Grain Size, Colour, Minor Components	VS	SL	ST	VST	H	VL	LD	VD	SOIL ORIGIN, STRUCTURE, ETC.
	3.85	0.15	GP		Bitumen dry. Road Base: Sandy GRAVEL (GP) dry.	D								FILL
	3.10	0.90	GM		Silty GRAVEL/COBBLES (GM) coarse grained, angular, grey, dry to moist, becoming wet with depth, loose.	D-M								FILL
SPTLS N=8 2,3,5		2				W								
SPTLS N=13 3,6,7		3				W								
SPTLS N=11 18,5,6		4		 4.40m gravel becomes coarser, Dmax 200mm									
	-1.00	5.00	CI		CLAY (CI) grey.	M-W								ALV
U50 PP=0.25kPa		6		 6.60m grey, orange mottled with fine sand									
SPTLS N=8 1,3,5		7		 7.50m becoming stiffer	M-W								
SPTLS N=16 4,6,10 PP=1.75kPa		8				M-W								

NOTES	Start drilling at approx. 9.15pm. Auger to 3m, casing to 3m, washbore. Leave site at 2.45am	JOB	222267
-------	---	-----	--------

gINT_v8_30.002 Licensed to Arup Pty Ltd
 Project: j:\2220\00\22267-00_gateway_north_traffic_management_initiative\design\geotechnics\gint\gateway_north_15-12-11.gpi
 Library: g:\int\220\geotech\7.0_software\gim2_library_and_template_bris_p01_2011\bris_library_p02.gb
 Log: 1.0.1 AUSTRALIA GENERAL BOREHOLE LOG (rev 15 Jun 11 checked ABACPF Feb 2006)
 gINT output page 1 of 2. Made by RAS 2Feb12 11:01

CLIENT	TMR	LOGGED BY	CAW, DG
PROJECT	Gateway North Traffic Management System	CHECKED BY	RAS
		DRILLED DATE	13-Dec-11
CONTRACTOR	Drillsure	ANGLE	Vertical
DRILL MODEL	Hydropower Scout	BEARING	-
DRILLER	Matt & Nick	HOLE DIAMETER	76mm ()
		GROUND LEVEL	RL 4.00m
		LOCATION	502599 E 6979682 N
		ELEVATION DATUM	Australian Height Datum
		COORDINATE SYSTEM	Map Grid of Australia MGA 94

DRILLING	STRATA			MATERIAL DESCRIPTION	CONDITION		OBSERVATION							
	SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH		GROUP SYMBOL	LEGEND		CONSISTENCY						
	mAHD	m					WATER/MOISTURE	COHESIVE	NON COHESIVE					
						VS	SL	ST	VST	H	VL	LD	VD	
SPTLS N=48 16;22,26	-6.20	10.20	CI	CLAY (CI) grey. (continued)										ALV
			GP	GRAVEL (GP) fine to medium grained, angular to rounded, multicoloured. <i>10.00m becoming sandier, sand is fine grained</i>	M-W									ALV
	-7.00	11.10.00	SC	Clayey Gravelly SAND (SC) coarse grained, grey, gravel is fine to medium grained, angular rounded, multicoloured.										ALV
	-8.00	12.12.00		Borehole completed at 12m depth										

NOTES	Start drilling at approx. 9.15pm. Auger to 3m, casing to 3m, washbore. Leave site at 2.45am	JOB	222267
-------	---	-----	--------

gINT_v8_30.002 Licensed to Arup Pty Ltd
 Project: j:\2220\00\222267\00_gateway_north_traffic_management_initiative\design\geotechnics\gint\gateway_north_15-12-11.gpi
 Library: g:\int\220\geotech\7.0 software\gim2 library and template bris.p01 2011\bris_library_p02.gb
 Log: 1.01 AUSTRALIA GENERAL BOREHOLE LOG (rev 15 Jun 11 checked ABACPF Feb 2006)
 gINT output page 2 of 2. Made by RAS 2Feb12 11:01