COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the <u>Creative Commons Attribution 4.0 Licence</u> (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence". This licence does not apply to the Queensland Government logo or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database http://qgd.org.au/

Queensland Government

GEOTECHNICAL BOREHOLE LOG

FOR GEOTECHNICAL TERMS AND SYMBOLS REFER FORM F:GEOT 017/8-2014

FINAL 30/06/2015

BOREHOLE No BH14

Sheet 1 of 1

REFERENCE No H12202

Veloway 1 Stage E: Birdwood to Gaza Road PROJECT Bridge over Marshall Rd and Bapaume Rd. COORDINATES 505574.5 E; 6955087.1 N LOCATION FG6253 SURFACE RL 24.43m PLUNGE 90° DATE STARTED 04/06/2015 GRID DATUM MGA94 Zone 56 PROJECT No 201/C001/4 HEIGHT DATUM AHD DATE COMPLETED 05/06/2015 DRILLER Geodrill JOB No BEARING S USCS WEATHERING ADDITIONAL DATA INTACT DEFECT SPACING SAMPLES TESTS LITHOLOGY AND TEST RESULTS SAMPLE STRENGTH RΙ MATERIAL DESCRIPTION CORE REC % ᅾᆍᆂᆂᄝᅼᅿᅖᆝᇛᇰᆟᇎᇂᆘᇰᇕ Sandy SILT (Topsoil) (ML) 24.13 Dark brown, fine grained. Low plasticity. Sandy CLAY (Residual) (CL) Dark brown, moist, firm to stiff. 23.43 Fine grained sand. Low plasticity, METAGREYWACKE (Dcf) XW: Recovered as pale brown grey, moist, hard, Sandy CLAY. 13, 40, hb SPT Fine to medium grained sand. XW 21.43 30/5mm (32) METAGREYWACKE (Dcf) hb MW: Grey brown, fine to D (3.30m) medium grained, weakly A (3.33m) 3.55m: J, 75°, Un/Ro, TI, FeSt, Sinf 3.65m-3.75m: Qz Vn, 50°, 3mm 3.70m-3.85m: BZ DI foliated, medium to high MW Is(50)=1.50 MPa 100 strength. Is(50)=0.85 MPa (17)Defects: J's: 10°-30° (2-3/m) PI/Ro, TI, FeSt, Sinf 4.45m: Clay Seam 100 J's: 70°-80° (2/m) Un/Ro, TI, 4.50m-5.91m: HFZ, Sand and Gravel infill. (0) FeSt. Occasional Qz Vn. 100 XW 186 (0)100 (50) MW 5.72m-5.80m: BZ HW Is(50)=0.89 MPa D (5.97m)-MW A (6.00m) Is(50)=0.49 MPa 6.24m-6.44m: BZ, Qz Vn's LM HW 17.99 throughout METAGREYWACKE (Dcf) SW: Grey, fine to medium 100 grained, weakly foliated, high to (50) Is(50)=4.00 MPa D (7.00m) very high strength. Defects: J's: 10°-30° (2-3/m) PI/Ro, TI, FeSt, Sinf SW J's: 70°-80° (2/m) Un/Ro, TI, UCS=44.10 MPa (7.85m) FeSt. Occasional Qz Vn. 100 (44)Is(50)=3.70 MPa 15.43 100 D (8.90m) Is(50)=3.60 MPa Borehole completed at 9.00m A (8.97m) REMARKS: Dcf - Neranleigh Fernvale Beds. Soil samples taken from 0.0-0.5m for environmental **LOGGED BY REVIEWED BY** testing. TJG SF

TMR GEOTECHNICAL BOREHOLE LOG - CREATED WITH HOLEBASE SI

CORE PHOTO LOG

DEPARTMENT OF TRANSPORT & MAIN ROADS Geotechnical Branch 35 Butterfield Street, HERSTON Qld 4006 Phone 07 3066 3336



Project Name	Veloway (V1), Section E: Birdwood to Ga	za Road	
Project No	FG6253	Date	04/06/15
Borehole No	BH14	TMR H No	12202
Location	Bridge over Marshall Rd and Bapaume Rd	Start Depth (m)	3.0
Detail		Finish Depth (m)	9.0
Chainage		Submitted By	J. Lopez
Remarks		•	
3.0	FG6253 -6.0	80X	2 2 2 2 2 3 4 6 9 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
FG62!	Вн14	Box 2	3
0 100	200 300 400	500 600	700