

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to the Queensland Government logo or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

CLIENT	DMR	LOGGED BY	AT
PROJECT	Ipswich Motorway Upgrade Wacol to Darra	CHECKED BY	GWB
CONTRACTOR	Terratest	DRILLED DATE	08-Apr-08
DRILL MODEL	Edson 3000	GROUND LEVEL	RL 74.94m
DRILLER	Terratest	LOCATION	32116 E 144122 N
ANGLE	Vertical	ELEVATION DATUM	Australian Height Datum
BEARING	-	COORDINATE SYSTEM	Local Grid
HOLE DIAMETER	100mm ()		

DRILLING	STRATA				MATERIAL DESCRIPTION	WATER / MOISTURE	CONDITION								OBSERVATION		
	SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL			LEGEND	SOIL TYPE								SOIL ORIGIN, STRUCTURE, ETC.	
								Plasticity / Grain Size, Colour, Minor Components				CONSISTENCY					
		m	m			VS	SL	ST	VST	H	VL	J	MD	D	VD		
SPTLS	N=4 2,2,2	1		SC													NONCO
		72.94	2.00	SP	Clayey SAND (SC) loose, medium to coarse grained,.												NONCO
		71.94	3.00	CI	Gravelly SAND (SP) loose, coarse grained, orange brown, gravel subangular to angular.												COHES
SPTLS	N=3 1,1,2	70.94	4.00	SM	Sandy CLAY (CI) dark brown, sand coarse grained, with trace gravel.												NONCO
			5		Silty SAND (SM) loose, fine grained, dark brown mottled red,.												
			6	 5.00m - 6.00m with gravel												
			7	 6.00m - 9.00m with trace gravel												
SPTLS	N=18 5,8,10		7	 7.00m - 9.00m medium dense												
			8														
		65.94	9.00	CL	Sandy CLAY (CL) soft, dark grey, with trace gravel.												COHES

NOTES	Hole Diameter 100mm to 12.20m depth. ()	JOB	86015
-------	--	-----	-------

gINT v8.1.025. Licensed to ARUP
 Project : z:\bns\projects\86010\86010\design\geotechnics\gint\master_w2d(05.05.09).gip
 Library : g:\geotech\gint\library\files\aus library_n_v02_bruce_hwy.glb
 Log : 1.0.1 AUSTRALIA GENERAL BOREHOLE LOG (rev 6Apr08 checked AB/ACP Feb 2006)
 gINT output page 1 of 2. Made by AG 3Jun09 09:44

