

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence*". This licence does not apply to the Queensland Government logo or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://qgd.org.au/>

PROJECT : GATEWAY ARTERIAL - DUPLICATION  
LOCATION : 36835E 48472N  
PROJECT No : MG0246 SURFACE R.L. : 2.19 DRILLER : R. NEUMAN  
JOB No : DATUM : AHD DATE DRILLED : 9/5/94

DEPTH (m)	R.L. (m)	AUGER CORE DRILLING CORE CASING OTHER	RQD (%) CORE REC%	CORE LOSS	MATERIAL DESCRIPTION	USC WEATHERING EH VH H M L VL	INTACT STRENGTH					DEFECT SPACING (mm)					GRAPHIC LOG	ADDITIONAL DATA AND TEST RESULTS	SAMPLES TESTS
							20	80	200	600	2000	20	80	200	600	2000			
0	2.19																		
1	1.09				PEATY CLAY Dark grey to black, soft, wet, highly organic alluvium.	OH											C=27.7kPa *C=12.0kPa	FSV U99	
2					CLAY Dark grey and red mottled, stiff, moist alluvium. Minor gravel to 20 mm diameter in parts.												C=49.5kPa *C=47.0kPa 1,7,5 N=12	FSV U99 SPT	
3						CH											4,6,6 N=12	SPT	
4																	3,6,6 N=12	SPT	
5	-2.26				END OF HOLE												3,9,11 N=20	SPT	
6																			
7																			
8																			
9																			
10																			

REMARKS : \*Using pilcon shear vane.

LOGGED BY  
*[Signature]*