

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Housing and Public Works under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "(c) State of Queensland (Department of Housing and Public Works) 2023, licensed under the CC BY 4.0 Licence, prepared by Arup". This licence does not apply to logos or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

ARUP

Geotechnics

## BOREHOLE RECORD

HOLE

6

SHEET 1

OF 1

PROJECT

PRINCESS ALEXANDRA HOSPITAL - GERIATRIC UNIT

LOCATION See Fig. 1

GROUND LEVEL 37.6 mAHd

CONTRACTOR FOUNDRIL PTY. LTD.

ANGLE 90

LOGGED BY PFW.

DRILL MODEL FD 500

BEARING -

DATE/S 28/4/88

MOUNTING TRUCK

DIAMETER 150

DRILLING		STRATA			MATERIAL DESCRIPTION		CONDITION		OBSERVATIONS	
SAMPLE, TEST, BIT, SUPPORT ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Colour, Plasticity, Grain Size, Minor Components.	WATER / MOISTURE	CONSISTENCY		SOIL ORIGIN STRUCTURE, ETC.	
	AHD	m					COHESIVE			NON COHESIVE
							VS	ST		
Auger drill V Bit		0	SC		Clayey Gravelley SAND: brown, low plast, sand fine to coarse, gravel to 25mm	M			TOPSOIL	
		0.4	CL		Sandy CLAY: red brown & yellow brown, medium to high plast, sand fine to medium.				SLOPEWASH	
		1	CH						RESIDUAL SOIL	
		1.40								
		2			SILTSTONE: light grey & red brown, extremely weathered, contains lenses and thin bands of chert & ironstone				WEATHERED ROCK	
		3								
		4								
		4.50								
		5			BH 6 Terminated at Required Depth					
		6								
	7									
	8									
NOTES						FIGURE		JOB		
						B6		4972		