

## **COPYRIGHT NOTICE**

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2020, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to the Queensland Government logo or trademarks.

## **LIMITATION OF LIABILITY**

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

CLIENT	DMR	LOGGED BY	AT
PROJECT	Ipswich Motorway Upgrade Wacol to Darra	CHECKED BY	GWB
CONTRACTOR	Terratest	DRILLED DATE	08-Apr-08
DRILL MODEL	Edson 3000	GROUND LEVEL	RL 76.04m
DRILLER	Terratest	LOCATION	32097 E 144052 N
ANGLE	Vertical	ELEVATION DATUM	Australian Height Datum
BEARING	-	COORDINATE SYSTEM	Local Grid
HOLE DIAMETER	100mm ( )		

DRILLING	STRATA				MATERIAL DESCRIPTION	CONDITION										OBSERVATION		
	SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL		LEGEND	WATER / MOISTURE	CONSISTENCY										
								COHESIVE					NON COHESIVE					
SOIL TYPE												SOIL ORIGIN, STRUCTURE, ETC.						
Plasticity / Grain Size, Colour, Minor Components																		
		m	m			VS	S	LS	ST	VST	H	VL	J	MD	D	VD		
SPTLS	N=2 1;1,1		1	SP	Gravelly SAND (SP) very loose, coarse grain, brown, gravel coarse grained angular.													NONCO
		74.04	2	2.00	SC	Silty Clayey SAND (SC) very loose, medium to coarse grain, brown mottled grey..												NONCO
			3															
SPTLS	N=3 1;2,1		4															
			5															
			6			.... 6.00m - 7.00m light brown with grey mottle												
SPTLS	N=7 2;3,4		7															
			8															
		67.04	9	9.00	SP	Gravelly SAND, (SP) medium dense to dense, medium to coarse grained, dark grey mottled grey, gravel subangular, with wood frgments roots and organic material.												TOP

NOTES	Hole Diameter 100mm to 12.50m depth. ( )	JOB	86015
-------	--	-----	-------

gINT v8.1.026. Licensed to ARUP  
 Project : z:\bms\projects\86010\60115\design\geotechnics\gint\master\_w2d(05.05.09).gip  
 Library : g:\geotech\gint\library\files\aus library\_n\_ver2\_bruce\_hwy.glb  
 Log : 1.0.1 AUSTRALIA GENERAL BOREHOLE LOG (rev 6Apr08 checked AB/ACP Feb 2006)  
 gINT output page 1 of 2. Made by AG 3Jun09 09:44

CLIENT	DMR	LOGGED BY	AT
PROJECT	Ipswich Motorway Upgrade Wacol to Darra	CHECKED BY	GWB
		DRILLED DATE	08-Apr-08
CONTRACTOR	Terratest	ANGLE	Vertical
DRILL MODEL	Edson 3000	BEARING	-
DRILLER	Terratest	HOLE DIAMETER	100mm ( )
		GROUND LEVEL	RL 76.04m
		LOCATION	32097 E 144052 N
		ELEVATION DATUM	Australian Height Datum
		COORDINATE SYSTEM	Local Grid

DRILLING		STRATA		MATERIAL DESCRIPTION		CONDITION		OBSERVATION										
SAMPLE, TEST, BIT, SUPPORT, ETC.	R.L.	DEPTH	GROUP SYMBOL	LEGEND	SOIL TYPE Plasticity / Grain Size, Colour, Minor Components	WATER / MOISTURE	CONSISTENCY		SOIL ORIGIN, STRUCTURE, ETC.									
	m	m					COHESIVE	NON COHESIVE										
						VS	S	U	ST	VST	H	VL	J	MD	D	VD		
SPTLS	N=12 4,5,7	66.04	10.00	SC	Clayey SAND, (SC) medium dense to dense, medium to coarse grained, dark brown mottle orange, with trace gravel.													NONCO
		65.04	1111.00	SM	Silty SAND, (SM) loose, fine to medium grained, dark grey mottle orange.													NONCO
SPTLS	N=9 2,4,5	64.04	1212.00	SW	SAND, (SW) loose, fine grained, dark grey, with root fibres.													NONCO
		63.54	12.50		Borehole completed at 12.5m depth													
			13															
			14															
			15															
			16															
			17															
			18															
			19															

NOTES	Hole Diameter 100mm to 12.50m depth. ( )	JOB	86015
-------	--	-----	-------

gINT v8.1.025. Licensed to ARUP  
 Project : z:\bms\projects\86015\design\geotechnics\gint\master\_w2d(05.05.09).gip  
 Library : g:\geotech\gint\library\files\aus\_library\_n\_ver2\_bruce\_hwy.glb  
 Log : 1.0.1 AUSTRALIA GENERAL BOREHOLE LOG (rev 6Apr08 checked AB/ACP Feb 2006)  
 gINT output page 2 of 2. Made by AG 3Jun09 09:44