

COPYRIGHT NOTICE

This geotechnical log and its associated data (the Document) is licensed by the Queensland Department of Transport and Main Roads under the [Creative Commons Attribution 4.0 Licence](#) (CC BY 4.0). When reusing the Document, in whole or in part, please attribute the Department and author as follows: "*(c) State of Queensland (Department of Transport and Main Roads) 2021, licensed under the CC BY 4.0 Licence, prepared by Arup*". This licence does not apply to logos or trademarks.

LIMITATION OF LIABILITY

The CC BY 4.0 Licence contains a comprehensive Disclaimer of Warranties and Limitation of Liability. In addition, please note that this Document was prepared for Departmental use only. Reuse of the Document by anyone for any other purpose could result in error and/or loss. You should obtain professional advice before making decisions based on the contents of the Document.

When reproducing any part of this Document, you must also reproduce this limitation of liability notice in addition to the italicised attribution statement above.

Retrieved from the Queensland Geotechnical Database <http://ggd.org.au/>

This log has been contributed to the Queensland Geotechnical Database with the permission of Arup.

BOREHOLE RECORD

HOLE

G36

SHEET 1
OF 1

PROJECT Southbank Education & Training Precinct

LOGGED BY PBF
DATE/S 09.06.05

CONTRACTOR Mapstone Geotechnical Services ANGLE Vertical
DRILL MODEL Gemco HS7 BEARING -
MOUNTING Trailer DIAMETER 100mm

GROUND LEVEL ~RL 8.3m
LOCATION Refer Figure 2

DRILLING	STRATA		GROUP SYMBOL	LEGEND	MATERIAL DESCRIPTION	CONDITION										OBSERVATION
	R.L.	DEPTH				WATER / MOISTURE					CONSISTENCY					
DCP TEST RESULTS (blows/100mm)	AHD	m			SOIL TYPE Colour, Plasticity, Grain Size, Minor Components	VS	SL	ST	VST	HL	VL	LD	MD	VD		
AUGER (TC Bit)	8.10	0.20	[Symbol]		Concrete slab.											SLAB
	7.80	0.50	[Symbol]		FILL: silty clay, mottled orange brown and cream white, medium to high plasticity, trace fine gravel.											FILL
		1	[Symbol]		XW PHYLLITE: Mottled orange brown and cream/grey white, extremely low strength rock, some quartz seams.											XW ROCK
SPT @ 1.0m 17 / 30 for 130mm N = Refusal																
	6.30	2.00			Harder drilling from 2m.											
SPT @ 2.5m 20 for 70mm (bouncing) N = Refusal					End of borehole at 2.50m											
		3														
		4														
		5														
		6														
		7														

NOTES

JOB

84724